

Message

---

**From:** Ramalho, Louis [Ramalho.Louis@epa.gov]  
**Sent:** 1/9/2020 3:00:19 PM  
**To:** Schaller, Charles [cschaller@bakerdonelson.com]  
**CC:** Toffel, Melissa [Toffel.Melissa@epa.gov]  
**Subject:** RE: Easton Point  
**Attachments:** Easton Point.CAFO.pdf

Charles: As a follow-up to my previous e-mail, attached is the proposed settlement agreement with Easton Point. It does not include the installment payment plan but that can be added to the agreement if your client so wishes. As I stated in the past, EPA's offer is good until the end of this month. If a settlement is not reached, this document will be converted into an Administrative Complaint to commence formal enforcement proceedings against your client for the alleged violations described therein. Hope to hear from you in the near future.

Regards,  
Lou Ramalho  
Sr. Assistant Regional Counsel  
(215) 814-2681

---

**From:** Ramalho, Louis  
**Sent:** Thursday, January 02, 2020 10:24 AM  
**To:** Schaller, Charles <cschaller@bakerdonelson.com>  
**Cc:** Toffel, Melissa <Toffel.Melissa@epa.gov>  
**Subject:** RE: Fails

Happy New Year Charles! I am checking in to see if there is a willingness to accept EPA's offer to settle this matter with your client.

---

**From:** Schaller, Charles <cschaller@bakerdonelson.com>  
**Sent:** Wednesday, December 04, 2019 3:26 PM  
**To:** Ramalho, Louis <Ramalho.Louis@epa.gov>  
**Cc:** Toffel, Melissa <Toffel.Melissa@epa.gov>  
**Subject:** RE: Fails

Lou:

Thank you.

**Charles R. Schaller**  
Of Counsel

Baker, Donelson, Bearman, Caldwell & Berkowitz, PC  
100 Light Street  
19<sup>th</sup> Floor  
Baltimore, MD 21202

Phone 410.862.1120  
[cschaller@bakerdonelson.com](mailto:cschaller@bakerdonelson.com)

Baker, Donelson, Bearman, Caldwell & Berkowitz, PC  
represents clients across the U.S. and abroad from offices  
in Alabama, Florida, Georgia, Louisiana, Maryland, Mississippi,  
South Carolina, Tennessee, Texas, Virginia and Washington, D.C.

---

**From:** Ramalho, Louis <Ramalho.Louis@epa.gov>  
**Sent:** Wednesday, December 4, 2019 3:08 PM  
**To:** Schaller, Charles <cschaller@bakerdonelson.com>  
**Cc:** Toffel, Melissa <Toffel.Melissa@epa.gov>  
**Subject:** FW: Fails

Charles: Your client, Mr. Miller, submitted some additional information to EPA. Below, please find the conclusion of the review of such documents by Ms. Toffel. Lou

---

**From:** Toffel, Melissa <Toffel.Melissa@epa.gov>  
**Sent:** Wednesday, December 04, 2019 2:53 PM  
**To:** Ramalho, Louis <Ramalho.Louis@epa.gov>  
**Subject:** FW: Fails

Lou – I reviewed the tank release detection records that Mr. Miller provided on 12/2. Although it is helpful in that they show current compliance, the records provided do not affect our penalty numbers. For one, because our stop date for calculating penalty numbers was in early August and most records provided were for after that time, or were records I already had. And second, one record Mr. Miller provided allowed me to reduce the days of noncompliance on one tank, however, it did not lower the penalty because the days of noncompliance multiplier remained the same because the days still fell within the same bracket for calculating the DNC multiplier.

Mr. Miller provided some information today regarding the “Fail” tank release detection results in February of 2017, however, the information does not cause us to remove those counts or reduce those penalties as it does not sufficiently demonstrate that the “Fails” were investigated/reported.

If you want to meet to go over this, my calendar is up to date for the rest of this month. Thanks,

*Melissa Toffel, U.S. EPA Region III  
Enforcement & Compliance Assurance Division  
Air, RCRA & Toxics Branch  
1650 Arch Street (Mail Code 3ED22)  
Philadelphia, PA 19103  
P: 215-814-2060  
F: 215-814-3163*




**From:** Tim Miller [mailto:tmiller@nationalpremiumbeer.com]  
**Sent:** Wednesday, December 04, 2019 7:52 AM  
**To:** Toffel, Melissa <Toffel.Melissa@epa.gov>; Charles Schaller <cschaller@bakerdonelson.com>  
**Subject:** Fails

Of the three fails we have had, all were during extremely slow times and during unusual weather events.

Leak detectors have issues when -

1. They have been inactive.
2. Weather is very cold.
3. Weather has fluctuated greatly

This is common knowledge in the industry, attached are the transactions surrounding the so called fails.





**Tim Miller**

Owner, 930 Port Street Inc.

410-310-3553 | [tmiller@nationalpremiumbeer.com](mailto:tmiller@nationalpremiumbeer.com)

28102 Baileys Neck Road, Easton MD 21601



---

NOTICE: This electronic mail transmission with any attachments may constitute an attorney-client communication, protected health information (PHI) or other confidential information that is in fact confidential, legally protected from disclosure and/or protected by the attorney-client privilege. If you are the intended recipient, please maintain confidentiality and be aware that forwarding this e-mail to others may result in a waiver of these protections and privileges and regardless electronic communications may be at times illegally accessed and viewed. If you are not the intended recipient, this e-mail is not intended for transmission to you, nor to be read, reviewed, used, distributed or even received by you or any other unauthorized persons. If you have received this electronic mail transmission in error, please double delete it from your system immediately without copying, reading or disseminating it, and notify the sender by reply e-mail, so that our address record can be corrected. Thank you very much.